Version: 1.1 Date: 21.08.2020

## ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 (SDS)



#### 1.1 Product identifier Pure Light Liquid Candles Product Name Liquid Oil Cartridges / Liquid Oil Candles Alternative names 1502, 1503, 1508, 1510, 1511, 1512, 1513, 1514, 1516, 1517, 1518, Product code(s) 1520, 1521, 1530, 1532, 1540, 1541, 1550, 1560, 01509 Tetradecane **Chemical Name** 629-59-4 CAS No. 211-096-0 EINECS No. 1.2 Relevant identified uses of the substance or mixture and uses advised against As table lighting inserted into table lamps Identified Use(s) Anything other than the above. Uses Advised Against 1.3 Details of the supplier of the safety data sheet TANGSHAN BURAK HOTEL SUPPLIES CO., LTD. Company Identification Tangshan Burak Hotel Supplies Co. Ltd Xiaodaodi Village East, Chahe Town, Fengnan District Tangshan, Hebei, China. PC: 064002 +86 315 2346093 Telephone Fax +86-315-2344778/2345849 E-Mail (competent person) hankun@tangshanburak.com 1.4 **Emergency telephone number** +86 158 3050 6182 (24hrs) Emergency Phone No. Languages spoken English spoken SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance or mixture 2.1.1 Regulation (EC) No. 1272/2008 (CLP) Asp. Tox. 1; H304

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

2.2 Label elements Product Name

Hazard Pictogram(s)

Signal Word(s)

Hazard Statement(s)

Precautionary Statement(s)

Skin Irrit. 2; H315

According to Regulation (EC) No. 1272/2008 (CLP) Pure Light Liquid Oil Candles



DANGER

H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation.

P102: Keep out of reach of children. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of water. P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P331: Do NOT induce vomiting. P362+P364: Take off contaminated clothing and wash it before reuse.

#### Version: 1.1 Date: 21.08.2020

# ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 (SDS)



Supplemental information

None

#### 2.3 Other hazards

Combustible liquid

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1	3.1 Substances				
	SUBSTANCE	CAS No.	EC No.	REACH Registration No.	%W/W
Tetra	adecane	629-59-4	211-096-0	01-2119485515-31-0004	100

### **SECTION 4: FIRST AID MEASURES**



4.1	Description of first aid measures	
	Self-protection of the first aider	Ensure adequate ventilation. Avoid breathing vapours. Wear suitable protective
	Inhalation	clothing and gloves. Contaminated clothing should be laundered before reuse. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Apply artificial respiration only if patient is not breathing but do not use mouth to mouth requestration
	Skin Contact	not breathing but do not use mouth to mouth resuscitation. IF ON SKIN (or hair): Wash with plenty of water. If irritation (redness, rash, blistering) develops, get medical attention.
	Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
	Ingestion	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs.
4.2	Most important symptoms and effects, both acute and delayed	May be fatal if swallowed and enters airways. Causes skin irritation.
4.3	Indication of any immediate medical attention and special treatment needed	IF SWALLOWED: Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs.
0-0-		

#### **SECTION 5: FIRE-FIGHTING MEASURES**

5.1	Extinguishing media	
	Suitable Extinguishing Media	In case of fire use water fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
	Unsuitable extinguishing Media	None known. Direct water jet may spread the fire.
5.2	Special hazards arising from the substance or	Combustible liquid. Combustion may cause toxic fumes. (Carbon monoxide,
	mixture	Carbon dioxide)
5.3	Advice for fire-fighters	Fire fighters should wear complete protective clothing including self-contained
		breathing apparatus. Do not breathe fumes.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1	Personal precautions, protective equipment and emergency procedures	Remove all ignition sources. Ensure adequate ventilation. Wash hands thoroughly after handling. Wear appropriate personal protective equipment, avoid direct contact. Do not ingest. May be fatal if swallowed and enters airways. Avoid breathing vapours. Ensure that the equipment is adequately grounded.
6.2	Environmental precautions	Avoid release to the environment.
6.3	Methods and material for containment and cleaning up	<b>Land spill:</b> Eliminate sources of ignition. Stop leak if safe to do so. Absorb spillage in inert material and shovel up. Transfer to a container for disposal or recovery. Use water spray to cool and disperse vapours and protect personnel. Ventilate the area and wash spill site after material pick-up is complete. Use only non-sparking tools. Avoid run off to waterways and sewers. Dispose of contents in accordance with local, state or national legislation.

Version: 1.1 Date: 21.08.2020

# ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 (SDS)



6.4	Reference to other sections	<b>Water spill:</b> Stop leak if safe to do so. Soak up with inert absorbent. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body. See Section: 8, 13
SECTI	ON 7: HANDLING AND STORAGE	
7.1	Precautions for safe handling	Ensure adequate ventilation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Wash hands before breaks and after work. Do not eat, drink or smoke when using this product. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
7.2	Conditions for safe storage, including any incompatibilities	Store in a cool/low-temperature, well-ventilated (dry) place. Store products enclosed, in original packing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	Storage temperature Incompatible materials	Ambient temperatures. Stable under normal conditions. Unsuitable containers: Natural rubber, Polystyrene, Ethylene-proplyene-diene monomer (EPDM).
7.3	Specific end use(s)	See Section: 1.2
SECTI	ON 8: EXPOSURE CONTROLS/PERSONAL	PROTECTION
8.1 8.1.1	Control parameters Occupational Exposure Limits	Not established.
8.1.2	Biological limit value	Not established.
8.1.3	PNECs and DNELs	Not established.
8.2 8.2.1	Exposure controls Appropriate engineering controls	
8.2.2	Individual protection measures, such as personal protective equipment (PPE)	Use personal protective equipment as required. Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier. Wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing.
	Eye/face protection	Eye Protection: Not normally required.
		Recommended: Wear suitable face shield.
	Skin protection	Wear suitable gloves if prolonged skin contact is likely. Recommended: Wear impervious gloves (EN374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer.
		Wear suitable coveralls to prevent exposure to the skin.
	Respiratory protection	Respiratory protection is not necessary if room is well ventilated. A suitable mask with filter type A (EN141 or EN405) may be appropriate. Recommended: EN149, EN143.
	Thermal hazards	Not applicable
8.2.3	Environmental Exposure Controls	Avoid release to the environment.

9.1

Version: 1.1 Date: 21.08.2020

# ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 (SDS)



## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	Clear, Oily liquid
Odour	Odourless
Odour Threshold	Not determined.
рН	Not determined.
Melting Point/Freezing Point	6 *C (ASTM D 5950)
Initial boiling point and boiling range	252 – 260 °C (ASTM E537-07)
Flash point	105 °C [Closed cup]
Evaporation Rate	Not determined.
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	< 5 Pa @ 20 *C (NFT 20-048)
Vapour density	Not determined.
Relative density	0.763 g/cm3 (ASTMS D 4052-96)
Solubility(ies)	Insoluble in water. (QSAR, SPARC v4
Partition coefficient: n-octanol/water	Log Pow 8.11 (QSAR, SPARC v4.2)
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	2.81 mm²/s @ 20 °C
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

#### 9.2 Other information

Not applicable

## SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	Stable under normal conditions.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	None known. Hazardous polymerisation will not occur.
10.4	Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5	Incompatible materials	Natural rubber, Polystyrene, Ethylene-proplyene-diene monomer (EPDM).
10.6	Hazardous decomposition product(s)	Combustion may cause toxic fumes. (Carbon monoxide, Carbon dioxide)

### SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects	
	Acute toxicity - Ingestion	Based upon the available data, the classification criteria are not met.
		LD50 (oral,rat) mg/kg: >15 000 mg/kg bw/day (OECD 423)
	Acute toxicity - Inhalation	Based upon the available data, the classification criteria are not met.
		LC50 (Inhalation, rat) mg/m <sup>3</sup> : >4 951 (OECD 403)
	Acute toxicity - Skin Contact	Based upon the available data, the classification criteria are not met.
		LD50 (skin,rabbit) mg/kg: >5 000 mg/kg bw/day (OECD 402)
	Skin corrosion/irritation	Skin Irrit. 2; H315: Causes skin irritation.
		Irritating to skin. (rabbit) (OECD 404)
	Serious eye damage/irritation	Based upon the available data, the classification criteria are not met.
		Not irritating to eyes (OECD 405)
	Respiratory or skin sensitization	Based upon the available data, the classification criteria are not met.
		Respiratory sensitization: No data
		Skin sensitization: Negative (Guinea pig) (OECD 406)
	Germ cell mutagenicity	Based upon the available data, the classification criteria are not met.
		In vitro: Negative (OECD 471)
		In vivo: Negative (mouse) (OECD 474)
	Carcinogenicity	Based upon the available data, the classification criteria are not met.
		It is unlikely to present a carcinogenic hazard to man.
	Reproductive toxicity	Based upon the available data, the classification criteria are not met.
		Reproductive toxicity: NOEC (rat) > 400 ppm. Effects on fertility - Negative (OECD
		413)

Version: 1.1 Date: 21.08.2020

# ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 (SDS)



		Developmental toxicity: NOAEL (rat) mg/kg bw/day >2000. Maternal toxicity:
		NOAEL mg/kg bw/day 500. Studies in animals have shown that exposures
		produce no teratogenic effects. (OECD 413)
	STOT - single exposure	Based upon the available data, the classification criteria are not met.
		No adverse effects observed on general toxicity endpoints
	STOT - repeated exposure	Based upon the available data, the classification criteria are not met.
		Oral: NOAEL (rat) mg/kg bw/day >1000 (OECD 422)
		Inhalation: NOAEL (rat) mg/m3 10186. No STOT classification is proposed, as
		none of the observed effects were considered severe enough to merit
		classification by the inhalation route (OECD 413)
		Dermal: No data
	Aspiration hazard	Asp. Tox. 1; May be fatal if swallowed and enters airways.
		Viscosity: 2.81 mm²/s @ 20 °C (ASTM D 446/11, Unnamed, 2010).
		Tetradecane = Hydrocarbon.
11.2	Other information	None

### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity

- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

Acute toxicity: LL50 (Fish) mg/l >10 < 30 (96 hour) (OECD 203) Chronic Toxicity: NOELR mg/l >1000 (28 days) (QSAR) Readily biodegradable. 89.8% @ 28 days (OECD 301) BCF: 962.9 l/kg Log Kow: 6.98 Not classified as PBT or vPvB. None known

Based upon the available data, the classification criteria are not met.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1 Waste treatment methods

13.2 Additional Information

Dispose of this material and its container as hazardous waste. Dispose of empty containers and wastes safely. Do not apply pressure to empty containers. Dispose of contents in accordance with local, state or national legislation. None

### SECTION 14: TRANSPORT INFORMATION

		ADR/RID	IMDG	IATA/ICAO
14.1	UN number	None	None	None
14.2	UN proper shipping name	None	None	None
14.3	Transport hazard class(es)	None	None	None
14.4	Packing group	None	None	None
14.5	Environmental hazards	Not classified	Not classified as a	Not classified
			Marine Pollutant.	
14.6	Special precautions for user	See Section: 2		
14.7	Transport in bulk according to Annex II of	Not applicable.		
	MARPOL73/78 and the IBC Code			
14.8	Additional Information	None		

## SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1	EU regulations	
	Authorisations and/or Restrictions On Use	None.
15.1.2	National regulations	
	Germany	Water hazard class: 1
15.2	Chemical Safety Assessment	Not available.

#### Version: 1.1 Date: 21.08.2020

# ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 (SDS)



### SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: V1.1 Updated Section: 2.2, 16

#### **References:**

Existing ECHA registration(s) for Tetradecane (CAS No. 629-59-4) EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830.

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Asp. Tox. 1; H304	Expert judgement
Skin Irrit. 2; H315	Test Result

#### LEGEND

LTEL: Long Term Exposure Limit	STEL: Short Term Exposure Limit
DNEL: Derived No Effect Level	PNEC: Predicted No Effect Concentration
PBT: PBT: Persistent, Bioaccumulative and Toxic	vPvB: very Persistent and very Bioaccumulative
Hazard Statement(s) Asp. Tox. 1; Aspiration hazard, Category 1 Skin Irrit. 2; Skin corrosion/irritation, Category 2	H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation.

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

#### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. TANGSHAN BURAK HOTEL SUPPLIES CO., LTD. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. TANGSHAN BURAK HOTEL SUPPLIES CO., LTD. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

#### Annex to the extended Safety Data Sheet (eSDS)

Not available.